

Hydraulic Brake Hose Fittings







Features of brake hose fittings:

- Product name: [Hydraulic Brake Hose Fittings](#)
- Material:Carbon Steel
- Machining Tolerances:0.05mm
- Machining Process:
Cold Forging, Riveting, CNC Turning, CNC Milling, Welding, Threading, Tapping, Bending, Drilling
- Min. Order:1000PCS

Tel:+86 574 62387787 **Fax:**+86 574 62387788 **Mobile:**+86 13758266067 **Skype:**hewcho
Email:info@hewcho.com **Whatsapp:**+86 13758266067 **Website:**www.hewcho.com

- Surface Treatment: Zinc Plated(White, Green, Yellow, Black), Zinc-Nickel Alloy Plated
- Packing: Carton Box, Blister tray, Pallet, Wooden Case.
- Certificate:ISO9001:2008, ISO/TS16949, DOT

What we can Provide:		Machining Material:	
CNC Machining Service		Carbon Steel	
CNC Turning Service		Stainless Steel	
CNC Milling Service		Aluminum	
Cold Forging Service		Brass	
Metal Stamping Service		Copper	
		Titanium Alloy	
Surface Treatment		Application:	
Heat Treatment		Automobile Spare Parts	
Sand Blasting		Electrical Appliance Industry	
Polishing		Electronics Industry	
Zinc Plated		General Industry	
Anodization		Machinery and Equipment	
Chemical Fim		Hydraulic and Pneumatic	

Description of [Hydraulic Brake Fittings](#)

Hydraulic brake hose fittings is a coupling, other than a clamp, design for attachment to the end of brake hose. They are mainly used in brake systems to provide connections、 seals、 and oil transporting to the brake system or to the other system. Making the brake system's oil circuit uniform and unobstructed, and maintaining durability under high pressure. The sensitivity, efficiency and smoothness of the brake increase the braking performance of the car.

With over 500 fittings, Ningbo Hewcho can manufacture virally any brake, clutch ,1/8" or 3/16" hydraulic brake hose assembly. All brake hose fittings are build to SAE J1401 and DOT compliance standards.

Thread of brake hose fitting:

Tel:+86 574 62387787 **Fax:**+86 574 62387788 **Mobile:**+86 13758266067 **Skype:**hewcho
Email:info@hewcho.com **Whatsapp:**+86 13758266067 **Website:**www.hewcho.com

The most common threads are M10*1, M12*1, 3/8"-24UNF, 7/16"-24UNF

Metric(mm)	UNF(Inch)
M10*1	3/8"
M10*1.25	6/16"
M12*1	1/2"
M12*1.25	5/8"
M12*1.5	11/16"
M14*1.5	5/8"
M16*1.5	3/4"
	7/8"





You can generally distinguish whether you have a metric or imperial threaded brake fittings from the year and origin of your vehicle.

- European-Metric(99%)
- Asian-Metric(99%)
- US-Imperial and Metric

Looking for crimping brake hose fittings for your hose? Ningbo Hewcho provide include Banjo, Center Support Fittings, Male Fittings, Female Fittings and other special Fittings.

Gallery of hydraulic brake hose fittings

Brake Hose Banjo Fittings

			
Round Fittings-Straight	Round Fittings-Bent	Block Fittings	Tube Fitting

Brake Hose Center Support Fittings

	
<p>Brake Hose Clip Mount Fittings</p>	<p>Brake Hose Bracket Mount Fitting</p>

Brake Hose Female Fittings

			
<p>Bolt-on Mount</p>	<p>Clip Mount Fittings</p>	<p>Bulkhead Mount</p>	<p>Bracket Mount</p>

Brake Hose Male Fittings

			
<p>Standard Mount</p>	<p>Bulkhead Mount</p>	<p>Clip Mount</p>	

Why Choose [Hewcho](#)?

Low price, process performance (e.g., weldability and cold formability) good.